Miller, Robert

From:

McMillin, Stella@Wildlife < Stella.McMillin@wildlife.ca.gov>

Sent:

Tuesday, August 22, 2017 3:10 PM

To:

agcomm@co.kern.ca.us; Palmer-Townsend, Marilyn@CDPR; Kratville, David@CDFA;

Miller, Robert

Subject:

Loss report for red fox in Kern County

Attachments:

P3224.pdf

Hello all, I have attached a loss report for a red fox in Kern County. If you have any questions or comments, please contact me.

Thank you.

Stella McMillin
Senior Environmental Scientist
California Department of Fish and Wildlife
Wildlife Investigations Laboratory
1701 Nimbus Road
Rancho Cordova, CA 95670
Office 916-358-2954
Cell 916-531-9683



DEPARTMENT OF FISH AND WILDLIFE WILDLIFE BRANCH WILDLIFE INVESTIGATIONS LABORATORY PESTICIDE INVESTIGATIONS

1701 NIMBUS ROAD RANCHO CORDOVA, CA 95670 PHONE (916) 358-2954

Lab Number P-3224 Necropsy Number Z17-0251 CAHFS Number D1704929

Date of loss: April 6, 2017

Sample: Red fox Vulpes vulpes

Listing status: None

To: Glenn Fankhauser Kern County Agricultural Commissioner Report Date: August 22, 2017

Remarks

Anticoagulant rodenticide exposure in red fox.

Background

On April 6, 2017, a red fox was brought into a veterinary clinic bleeding from the head after being hit by a golf club in Bakersfield. She was being fed by the patrons of the golf course because she was in poor physical condition presumably due to mange. She was euthanized at the veterinary clinic and submitted to the CDFW Wildlife Investigations Laboratory (WIL) to determine the cause of her poor health.

-001

RESULTS OF EXAMINATION

A necropsy was performed on the fox at the WIL. The fox was an adult female. Trauma was evident by the exposed skull cap, depression in the skull, and exposure of thoracic and lumbar vertebrae. In addition, the fox was emaciated and had a severe case of sarcoptic mange. Tissues were submitted to the California Animal Health and Food Safety Laboratory in Davis for microscopic examination and toxicology analysis. Severe dermatitis was noted and mites (Sarcoptes and possible Demodex species) were identified. In addition, liver tissue tested positive for four anticoagulant rodenticides: 0.260 ppm brodifacoum, 0.069 ppm bromadiolone, and traces of chlorophacinone and difethialone.

Brodifacoum, bromadiolone, and difethialone are California restricted materials used for commensal rodent control. Chlorophacinone is used for both field and commensal rodent control. Although anticoagulant rodenticides were present in potentially toxic concentrations, the cause of death of the fox is trauma.

Tella Mc Mulin

WILDLIFE INVESTIGATIONS LABORATORY

Stella McMillin, Senior Environmental Scientist Wildlife Investigations Laboratory

Approved Clifford

Dr. Deana Clifford, Senior Wildlife Veterinarian, Wildlife Investigations Laboratory

Cc:

Marilyn Palmer-Townsend,

CDPR

David Kratville,

CDFA

Robert Miller,

USEPA